



SWING GATE - JULIET

TECHNICAL DATA SHEET

The flexible d-flexx swing gate is the perfect product for creating more security in loading areas, whilst giving access to easy access to personnel. Due to the modular system a customised solution can always be supplied by means of individual cuttings.



DELIVERING **SAFER** WORKPLACES

Passionate in reducing the number of incidents in the workplace with quality visual and physical safety solutions, delivered fast.



FORTIS

PHYSICAL SEGREGATION SOLUTIONS

TABLE OF CONTENTS


Art. No.	Description	Width	Weight	Page
DFJU-DA800-A	Swingdoor	800 mm	6.53 kg	02
DFJU-DA1000-A	Swingdoor	1000 mm	6.69 kg	02
DFJU-DA1200-A	Swingdoor	1200 mm	7.54 kg	03
DFJU-DA1500-A	Swingdoor with wheel	1500 mm	9.28 kg	03
DFJU-DA1750-A	Swingdoor with wheel	1750 mm	9.76 kg	04
DFJU-DA2000-A	Swingdoor with wheel	2000 mm	10.26 kg	04

TECHNICAL INFORMATION

Material properties

Operational temperature range	-40° up to + 50°
Ignition Temperature	350 - 360°C
Flash Point	350 - 360°C
Toxicity	Nontoxic
Chemical Resistance	high - ISO/TR 10358
Hygiene Seals	Non
Standard Warranty	5 years

Deflection Zone: 250mm





DFJU-DA800-A

Article description: Swingdoor
 Item number: DFJU-DA800-A
 EAN: 4250912396630
 Customs tariff number: 39269097

Width (mm): 800
 Height (mm): 662
 Depth/Length (mm): 805
 Installation width (mm): 863
 Width without foot plate (mm): N/A
 Depth without foot plate (mm): N/A
 Deflection zone (mm): See posts
 Tested to withstand force (Joule): N/A

Net weight: 6.53 kg
 Material: Polyethylene
 Color: Yellow RAL 1018 - black
 Area of application: Indoor and outdoor use
 Fixing: Fixing Material included.





DFJU-DA1000-A

Article description: Swingdoor
 Item number: DFJU-DA1000-A
 EAN: 4250912396647
 Customs tariff number: 39269097

Width (mm): 1000
 Height (mm): 662
 Depth/Length (mm): 1000
 Installation width (mm): 1063
 Width without foot plate (mm): N/A
 Depth without foot plate (mm): N/A
 Deflection zone (mm): See posts
 Tested to withstand force (Joule): N/A

Net weight: 6.69 kg
 Material: Polyethylene
 Color: Yellow RAL 1018 - black
 Area of application: Indoor and outdoor use
 Fixing: Fixing Material included.




DFJU-DA1200-A

Article description: Swingdoor
Item number: DFJU-DA1200-A
EAN: 4250912396654
Customs tariff number: 39269097

Width (mm): 1200
Height (mm): 662
Depth/Length (mm): 1205
Installation width (mm): 1263
Width without foot plate (mm): N/A
Depth without foot plate (mm): N/A
Deflection zone (mm): See posts
Tested to withstand force (Joule): N/A

Net weight: 7.54 kg
Material: Polyethylene
Color: Yellow RAL 1018 - black
Area of application: Indoor and outdoor use
Fixing: Fixing Material included.





DFJU-DA1500-A

Article description: Swingdoor with wheel
Item number: DFJU-DA1500-A
EAN: 4250912396661
Customs tariff number: 39269097

Width (mm): 1500
Height (mm): 662
Depth/Length (mm): 1500
Installation width (mm): 1563
Width without foot plate (mm): N/A
Depth without foot plate (mm): N/A
Deflection zone (mm): See posts
Tested to withstand force (Joule): N/A

Net weight: 9.28 kg
Material: Polyethylene
Color: Yellow RAL 1018 - black
Area of application: Indoor and outdoor use
Fixing: Fixing Material included.





DFJU-DA1750-A

Article description: Swingdoor with wheel
 Item number: DFJU-DA1750-A
 EAN: 4250912396739
 Customs tariff number: 39269097

Width (mm): 1750
 Height (mm): 662
 Depth/Length (mm): 1755
 Installation width (mm): 1813
 Width without foot plate (mm): N/A
 Depth without foot plate (mm): N/A
 Deflection zone (mm): See posts
 Tested to withstand force (Joule): N/A

Net weight: 9.76 kg
 Material: Polyethylene
 Color: Yellow RAL 1018 - black
 Area of application: Indoor and outdoor use
 Fixing: Fixing Material included.





DFJU-DA2000-A

Article description: Swingdoor with wheel
 Item number: DFJU-DA2000-A
 EAN: 4250912396661
 Customs tariff number: 39269097

Width (mm): 2000
 Height (mm): 662
 Depth/Length (mm): 2000
 Installation width (mm): 2063
 Width without foot plate (mm): N/A
 Depth without foot plate (mm): N/A
 Deflection zone (mm): See posts
 Tested to withstand force (Joule): N/A

Net weight: 10.26 kg
 Material: Polyethylene
 Color: Yellow RAL 1018 - black
 Area of application: Indoor and outdoor use
 Fixing: Fixing Material included.



PART OF THE mhl GROUP

COMPREHENSIVE **ALL-IN-ONE** SOLUTIONS AND **SITE-SPECIFIC** RECOMMENDATIONS



**START YOUR JOURNEY
WITH US TODAY...**

- Make an enquiry
- Book a meeting
- Chat to us

📞 0800 055 4737

✉ mail@wss-eu.com

💻 wss-eu.com

📍 **Head Office: Portsmouth, UK**

📍 **Ireland Office: Warrenpoint, IRE**