



# KERB BARRIER - MIKE

## TECHNICAL DATA SHEET

The flexible d-flexx kerb barrier is the ideal product to protect walls and assembly lines from collisions in low ground areas. The round shape allows the colliding forklift to bounce off the barrier, therefore absorbing the force. It functions as a guide throughout the installed area. The kerb barrier can be combined with most of our d-flexx collection for a full safety solution. As our other products, it is made from polyethylene to absorb the impact force and return into its original shape.



## DELIVERING **SAFER** WORKPLACES

Passionate in reducing the number of incidents in the workplace with quality visual and physical safety solutions, delivered fast.



# **FORTIS**

**PHYSICAL SEGREGATION SOLUTIONS**

# TABLE OF CONTENTS


| Art. No. | Description             | Width          | Weight   | Page |
|----------|-------------------------|----------------|----------|------|
| DFKB-1   | Kerb Barrier            | 1300 mm        | 5.261 kg | 02   |
| DFKB-2   | Kerb Barrier            | 2000 mm        | 8.407 kg | 02   |
| DFKB-3   | Kerb Barrier            | 1500 mm        | 5.595 kg | 03   |
| DFKB-4   | Kerb Barrier            | 1000 mm        | 4.458 kg | 03   |
| DFKB-5   | Kerb Barrier            | 500 mm         | 2.532 kg | 04   |
| DFKB-I   | Kerb Barrier individual | 400 - 1499 mm  |          | 04   |
| DFKB-I2  | Kerb Barrier individual | 1500 - 2000 mm |          | 05   |

## TECHNICAL INFORMATION

### Material properties

|                               |                     |
|-------------------------------|---------------------|
| Operational temperature range | -40° up to + 50°    |
| Ignition Temperature          | 350 - 360°C         |
| Flash Point                   | 350 - 360°C         |
| Toxicity                      | Nontoxic            |
| Chemical Resistance           | high - ISO/TR 10358 |
| Hygiene Seals                 | Non                 |
| Standard Warranty             | 5 years             |

**Deflection Zone: 100mm**





# DFKB-1

Article description: Kerb barrier 1300 mm  
 Item number: DFKB-1  
 EAN: 4250912395619  
 Customs tariff number: 39269097

Width (mm): 1290  
 Height (mm): 193  
 Depth/Length (mm): 140  
 Installation width (mm): 1290  
 Width without foot plate (mm): N/A  
 Depth without foot plate (mm): N/A  
 Deflection zone (mm): 100  
 Tested to withstand force (Joule): N/A

Net weight: 5.261 kg  
 Material: Polyethylene  
 Color: Black - Yellow RAL 1018  
 Area of application: Indoor and outdoor use  
 Fixing: Fixing Material included.  
 2 x concrete screw M12x110





# DFKB-2

Article description: Kerb barrier 2000 mm  
 Item number: DFKB-2  
 EAN: 4250912395626  
 Customs tariff number: 39269097

Width (mm): 2000  
 Height (mm): 215  
 Depth/Length (mm): 140  
 Installation width (mm): 2000  
 Width without foot plate (mm): N/A  
 Depth without foot plate (mm): N/A  
 Deflection zone (mm): 100  
 Tested to withstand force (Joule): N/A

Net weight: 8.407 kg  
 Material: Polyethylene  
 Color: Black - Yellow RAL 1018  
 Area of application: Indoor and outdoor use  
 Fixing: Fixing Material included.  
 3 x concrete screw M12x110





# DFKB-3

Article description: Kerb barrier 1500 mm  
 Item number: DFKB-3  
 EAN: 4250912395657  
 Customs tariff number: 39269097

Width (mm): 1500  
 Height (mm): 215  
 Depth/Length (mm): 140  
 Installation width (mm): 1500  
 Width without foot plate (mm): N/A  
 Depth without foot plate (mm): N/A  
 Deflection zone (mm): 100  
 Tested to withstand force (Joule): N/A

Net weight: 5.595 kg  
 Material: Polyethylene  
 Color: Black - Yellow RAL 1018  
 Area of application: Indoor and outdoor use  
 Fixing: Fixing Material included.  
 3 x concrete screw M12x110





# DFKB-4

Article description: Kerb barrier 1000 mm  
 Item number: DFKB-4  
 EAN: 4250912395664  
 Customs tariff number: 39269097

Width (mm): 1000  
 Height (mm): 215  
 Depth/Length (mm): 140  
 Installation width (mm): 1000  
 Width without foot plate (mm): N/A  
 Depth without foot plate (mm): N/A  
 Deflection zone (mm): 100  
 Tested to withstand force (Joule): N/A

Net weight: 4.458 kg  
 Material: Polyethylene  
 Color: Black - Yellow RAL 1018  
 Area of application: Indoor and outdoor use  
 Fixing: Fixing Material included.  
 2 x concrete screw M12x110





# DFKB-5

Article description: Kerb barrier 500 mm  
 Item number: DFKB-5  
 EAN: 4250912395787  
 Customs tariff number: 39269097

Width (mm): 500  
 Height (mm): 193  
 Depth/Length (mm): 140  
 Installation width (mm): 500  
 Width without foot plate (mm): N/A  
 Depth without foot plate (mm): N/A  
 Deflection zone (mm): 100  
 Tested to withstand force (Joule): N/A

Net weight: 2.532 kg  
 Material: Polyethylene  
 Color: Black - Yellow RAL 1018  
 Area of application: Indoor and outdoor use  
 Fixing: Fixing Material included.  
 2 x concrete screw M12x110





# DFKB-I

Article description: Kerb barrier individual  
 Item number: DFKB-I  
 EAN: 250912395633  
 Customs tariff number: 39269097

Width (mm): 400-1499  
 Height (mm): 140  
 Depth/Length (mm): 140  
 Installation width (mm): 400-1499  
 Width without foot plate (mm): N/A  
 Depth without foot plate (mm): N/A  
 Deflection zone (mm): 100  
 Tested to withstand force (Joule): N/A

Net weight: N/A  
 Material: Polyethylene  
 Color: Black - Yellow RAL 1018  
 Area of application: Indoor and outdoor use  
 Fixing: Fixing Material included.  
 2 x concrete screw M12x110





# DFKB-I2

Article description: Kerb barrier individual 1500 - 2000 mm  
Item number: DFKB-I2  
EAN: 4250912395640  
Customs tariff number: 39269097

Width (mm): 1500 - 2000  
Height (mm): 140  
Depth/Length (mm): 140  
Installation width (mm): 1500 - 2000  
Width without foot plate (mm): N/A  
Depth without foot plate (mm): N/A  
Deflection zone (mm): 100  
Tested to withstand force (Joule): N/A

Net weight: N/A  
Material: Polyethylene  
Color: Black - Yellow RAL 1018  
Area of application: Indoor and outdoor use  
Fixing: Fixing Material included.  
3 x concrete screw M12x110





PART OF THE **mhl** GROUP

# COMPREHENSIVE **ALL-IN-ONE** SOLUTIONS AND **SITE-SPECIFIC** RECOMMENDATIONS



**START YOUR JOURNEY  
WITH US TODAY...**

- Make an enquiry
- Book a meeting
- Chat to us

☎ **0800 055 4737**

✉ **mail@wss-eu.com**

🌐 **wss-eu.com**

📍 **Head Office: Portsmouth, UK**

📍 **Ireland Office: Warrenpoint, IRE**